


Figure 1: Main components of the automatic weighing system

The main components are:



The main components of the automatic weighing system are:

1. PLC control system: The PLC (Programmable Logic Controller) is the brain of the system, controlling the weighing process and data collection.

2. Weighing unit: The weighing unit is responsible for measuring the weight of the material.

3. Conveyor system: The conveyor system transports the material from the weighing unit to the storage or packaging area.

4. Support structure: The support structure provides a stable base for the entire system.



10 head Combination Scale



Nuts packing machine



Material Elevator



:□□□□

□□□□□ □□□□□ □□□□□□□□□ □□□□□ □□□□□ □ 10 □□ □□□ □□□□□□□□ □□□□□□□□□□ .1

.□□□□□□□

□□□□□□ □□□□□□ □□□□□□ □ □□□□□□ □□□□□□ □ □□□□□□ □□□□□□ □□□□□□ .2

□□□□□□ □□□□□ □□□□□□ □□□□ □□□□□□ □□□□□ - "□□□□□□ □□□□□□" □□□□□ □□□□□ □□□ .3

□□□□□□□□ □□□□□□ □□□□

□□ 1.5 ± :□□□□□□□ □□□ .4




DS-A10

Application:

It is suitable for quantitative weighing of grain, sheet, strip, round and irregular materials such as melon seeds, peanuts, jelly, chips, meatballs and other granular leisure, puffed food, hardware and so on.

Special Features:

- * Lack of material can be automatically suspended, so that weighing more stable.
- * High-speed asynchronous discharge function Motor drive signal from the MCU module automatically, to achieve motor time-sharing action to effectively prevent material blockage, and no significant impact on speed.



Specifications:

Model	DS-A10	Operation Interface	7.0 touch screen/9.7 touch screen
Weighing Ranging	50-1000g	Power	220V/1000W/50-60HZ/10A
Accuracy	X(0.5)	Package Weight	430 (kg)
Weighing Speed	65ppm bags/min	Package Size	1620 (L) x1200 (W) x1100 (H) (mm)
Hopper Volume	3000ml	Optional Equipment	Pattern scale/hopper/printer
Drive Mode	Stepper Motor		rotating vibration machine




□□□:

□ □□□□ 35-10 □□□□ □□ □□□□□□ □□□□ □□□□ □ □□□□ □□□□□ □□□
 □□□□□ □□□□□ □□□□ □□ □□ □□□□ □□ □□□□□ □□□□ □□ (DHL □ Fedex □ (□□□□
 □□□□□□□ □□□□ □□□□□ □□□□□ □□□□ □□□□ □□□□□ □□□□□.

0000000.

ADVANTAGES



Advantaged technology



High quality material



Accurate maching



Tight quality control



7-24 Hours services

FACTORY SHOW

Cooperating with different manufacturers and research centers, we provide high-quality packaging machinery for food, medical, daily necessities, hardware, industrial products, chemicals, sports goods and other materials packaging. We have a group of experienced experts and outstanding engineers who do provide the professional service delivery and installation. Based on the clients specific requirement, we also design and produce the machines to order. We have through the years established good working relationship with some reputable organizations both at home and abroad with outstanding goodwill.




EQUIPMENT



0000000

0000000 000 000 0 0000000 00000 0000000 0000 Dession 000 0000 30 00 0000
000000000 0000000000 00000 00000000 000000000 00000000 000000 000000
00 0000000000 000 000 000 000000000 0000000 000000000 0000000 0000000000
000000.



德迅機械 德迅機械 德迅機械 德迅機械

:德迅機械 德迅機械

德迅機械 德迅機械 德迅機械 .1

德迅機械 德迅機械 德迅機械 德迅機械 德迅機械 德迅機械 德迅機械 德迅機械

.德迅機械 德迅機械 德迅機械 德迅機械 德迅機械

德迅機械 德迅機械 德迅機械 德迅機械 Debugging Client 德迅機械 德迅機械 德迅機械

德迅機械 德迅機械 100 德迅機械 德迅機械 德迅機械 德迅機械 德迅機械 德迅機械

.德迅機械 德迅機械 德迅機械 德迅機械 德迅機械

德迅機械 德迅機械 .2

德迅機械 德迅機械 德迅機械 德迅機械 德迅機械 德迅機械 德迅機械 德迅機械

.德迅機械 德迅機械 德迅機械 德迅機械 德迅機械 德迅機械

德迅機械 德迅機械 .3

德迅機械 德迅機械 德迅機械 德迅機械 .德迅機械 德迅機械 德迅機械 德迅機械 德迅機械

德迅機械 德迅機械 德迅機械 德迅機械 德迅機械 德迅機械 德迅機械 德迅機械

德迅機械 德迅機械 德迅機械 德迅機械 德迅機械 德迅機械 德迅機械 德迅機械

德迅機械.

德迅機械 德迅機械 德迅機械 德迅機械 **Dession** 德迅機械 德迅機械!