آلة تعبئة السوائل الأوتوماتيكية للعصير الأوتوماتيكى

الوظيفة والخصائص

1.	درجة الغذاء جميع الفولاذ المقاوم للصدأ هو أداء مضغوط ومستقر.
2.	التحكم في المحرك المتدرج ، سهلة ودقيقة لضبط طول الكيس ، PLC شاشة تعمل باللمس.
3.	يمكن لجهاز ملء مضخة القياس ضبط سعة التعبئة أثناء التشغيل ، وتحسين الإنتاجية.
4.	تكمل الآلة الإجراء الكامل للتعبئة والتعبئة وطباعة التاريخ والشحن (الاستنفاد) تلقائيًا.
5.	جهاز اختياري: جهاز كيس متصل ، جهاز طابعة التاريخ ، جهاز ثقب التثقيب ، جهاز تعبئة الغاز

تفاصيل الجهاز

الجانب الأيسر من الجهاز	**أمام الجهاز**

Dession آلة تعبئة السوائل الأوتوماتيكية

same 304# stainless steel material, Our Dession,
offer you 360° different surface treatment

طلب

يطبق على نطاق واسع للأغذية والأدوية والمنتجات الكيماوية السائلة مثل الكاتشب والمنكهات والصلصة والمعجنات والشامبو والقشدة وسائل غسل الجسم وما إلى ذلك.

التعبئة والتغليف والشحن

التعبئة والتغليف:
لضمان سلامة آلات التغليف ، نقوم بتخصيص العلب الخشبية وفقًا لحجم آلة التغليف.

شحن:
عند استلام الدفعة ، سيكون تاريخ التسليم في 20-30 أيام العمل،

عن طريق الجو أو البحر أو صريح (DHL ، UPS ، TNT ، EMS ، إلخ.)
تعتمد تكلفة الشحن على الوجهة وطريقة الشحن ووزن البضائع.

معلومات عنا

CERTIFICATE

DEÜ

VERIFICATION

OF COMPLIANCE

2006/42/EC Machinery
2006/95/EC Low Voltage

Certificate No. : EC-DEU1407-1025

Applicant : Foshan Dession Packaging Machinery Co., Ltd

Address : No.1, Sanheng Road, East Xiadongchongkou Industrial Site, Ping Zhou Town, Nanhai District, Foshan Guangdong, China

Product : Packaging Machine

Model No. : DS-250B, DS-250D, DS-250S, DS-250E, DS-320B, DS-320D, DS-350B,DS-350D, DS-400B, DS-400D, DS-450D, DS-600D, DS-700D, DS-250X, DS-350X, DS-450X, DS-600X, DS350W, DS-450W, DS-450X, DS-450W, DS-600W, DS-320, DS-420, DS-520, DS-620, DS-720, DS-820, DS-520. DS-720, DS-320C, DS-320A, DS-320Y, DS-320C, DS-320A, DS-320Y, DS-320S.

Test standards : EN ISO 12100:2010; EN ISO 13849-1:2008
EN60204-1:2006+A1:2009+AC:2010

Test Report No. : DEU(14)-08-0240/MD
DEU(14)-08-0240/LVD

Date Of Issuance: Aug.20, 2014

Remarks: We Hereby Confirm That The Technical Construction File And Manufacturing, Inspection And Testing Processes For Above Mentioned Product Comply With The Essential Safety Requirements Of EU 2006/42/EC Machinery, 2006/95/EC Low Voltage Appliedcodes And Standards.

CE

Chief Assessor:

DEU Technology Testing Co., LTD
Add: 11F, Block 22, No.33 Tianhe Road, Guangzhou, PRC 510075
info@cmauk.org www.cmauk.org Tel:400-6869-618

□□□ □ □□□□□□□ □□□□□ □□□□□□□ □□□□ Dession .□□□□□□ □□□□□ □□□□ □□ □□□□□□ 30 □□ □□□□
□□□ □ □□□□□□ □□□□□□ □□□□□ □□□ □□□□□ □□□□□□□ □□□□ □□□ □□
□□□□□□□ □□□□□□□□ □□□□□□□□ □□□□□□ □□□□□□□□ □□□□□□□□□ □□□□□□ □□□□□□□□□ □□□□□□ □□□

□□□ □□□□.



We just participated Canton 2017 Sino-Pack Exhibition , and will participate Shang Hai & Malaysia Exhibiton.Dession company participate relative exhibition 3 times each year.

آلة تعبئة السوائل الأوتوماتيكية للعصير الأوتوماتيكي