

□□ □□□ □□

□□ □□□ □□ □□ □□ □□□ □□ □□□□ **200g 1kg** □□ □□
□

□□□□□□



□□ □□

- □□□□ □□□ □□: □□ □□□ □□□□, □□□□□□ □□□□ PLC □□□□, □□ □□ □□, □□ □□□□.
- □□□□ □□: □□ □□□ □□□□, □□□□ □□ PID □□□□□,

• 說明: 此 說明 書 係 說明 此 機器 之 構造 及 使用 方法。 請 詳 細 閱 讀, 以 便 正 確 使 用

說明 書

ITEM	DS-320A+
Measuring Method	Cup measuring
Measuring Volume	100 -1000g
Film Width	Max. 420mm
Bag Length	40-300mm
Bag Width	50-200mm
Film Thickness	0.06-0.10mm
Film Roll Diameter	Max.300mm
Power	220V, 50/60HZ, 1.2KVA
Machine Size	L)1170* W)950* H)1740mm
Optional Device	Date Coder / Air-filling Device / Punching Device
Machine Packing	Wooden Box



□ □ □ □











Roll of film for bags



Cup metering



Bag former



Bag sealing and touch screen







☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐ 200g 1kg ☐☐ ☐☐☐