

面粉 面粉 面粉 面粉 面粉 面粉 面粉 面粉

面粉

Dession 面粉 面粉 面粉 面粉, 面粉 面粉 面粉 面粉, 面粉 面粉, 面粉 面粉, 面粉, 面粉 面粉 面粉 面粉 面粉 面粉 面粉 面粉 面粉 面粉.



Machine 00:

AUTOMATIC 1KG FLOUR VERTICAL PACKING MACHINE FOR CASSAVA FLOUR / CORN / MAIZE / WHEAT FLOUR POUCH PACKING MACHINE



***PACKAGING SPEED:
5~60 BAGS/MIN**



Easy to operate



Environmental friendly



Quality assurance




Lifetime maintenance





Film Holder




Ink Roll
Date Coder



Touch
Control Screen



Back Seal Device
and Bag Former



Bag Cutter
Device




Machine
Electrical Box

□□ □□

- 1)□□□ PLC □□ □□□ □□ □□□, □□ □□ □□□, □□□□ □□ □□□□□ □□□□□□.
- 2)□□□□ □□□□□ □□, □□□ □□ □□ □□, □□□ □□ □□, □□□ □□□□ □□□ □□□□ □□.
- 3) □□□ □□ □□ □□ Losser□ □□□□□ □□□ □□□□□.
- 4)□□□□, □□□□, □□□□ □□□ □□□□ □□□ □ □□□ □□□□ □□□□ □□ □□□ □ □□□□. 5) □□ □□ □□□ □□ □ □□□ □□ □□ □□□ □□ □□□ □ □□□□.
- 6)□□□□□ □□ □□ □□ □□ □□ □□, □□ □□□ □□. □ □ □□ □□ □ □□ □□ □ □□ □□□□ □□□ □ □□□□.
- 7)□□ □□□□ CE □□ □ □ ROHS □□□.



Thermal Transfer Printer



Gas-filled Device



Angle Of Plug-In Device



Punching Device



Host						
Model	DS-320L	DS-420L	DS-520L	DS-620L	DS-720L	DS-820L
Film Width	Max. 320mm	Max. 420mm	Max. 520mm	Max. 620mm	Max. 720mm	Max. 820mm
Bag Length	80~240mm	80~300mm	80~350mm	150~350mm	100~450mm	100~450mm
Bag Width	50~150mm	60~200mm	80~250mm	200~350mm	100~350mm	180~400mm
Filling Range	150~800ml	150~1500ml	150~2000ml	150~4000ml	150~4000ml	6000ml(max)
Film Thickness	0.04~0.08mm					
Roll Diameter	Max. 320mm					
Packaging Speed	5~70 bags/min	5~60 bags/min	10~50 bags/min	5~50 bags/min	10~40 bags/min	5~30 bags/min
Machine Power	220V, 50/60HZ, 2KW	220V, 50/60HZ, 2.2KW	220V, 50/60HZ, 3KW	220V, 50/60HZ, 3KW	220V, 50/60HZ, 3.6KW	220V, 50/60HZ, 3.6KW
Machine Size (L*W*H)mm	1185*935 *1245	1217*1015 *1343	1488*1080 *1490	1700*1250 *1780	1716*1260 *1820	1780*1350 *1950
Machine Weight	550kg	650kg	750kg	700kg	900kg	900kg





Model	Screw Measuring Machine
Weighing Range	50-2000g
Weighing Accuracy	±0.3~1.5%
Power Requirement	220V/2.5KW/ 50/60Hz
Packing Dimension(mm)	690(L)*1030(W)*1100(H)
Model	Screw Feeder
hopper Volume	230L
Transfer Speed	2t/h
Power Requirement	380V,50/60Hz
Packing Dimension(mm)	1900(L)*1150(W)*2200(H)

□□□ □□:

Designing a solution for a customer's needs is a complex process. It involves understanding the customer's requirements, conducting research, and developing a detailed design. This process is iterative, meaning that the design is refined through multiple cycles of testing and feedback. The final design is then used to create a prototype, which is used to test the solution in a real-world environment. This process ensures that the final product meets the customer's needs and is of high quality.



Collect Customer Needs



Designing Solution



Parts Processing



Machine Assembly



Machine Commissioning



Wooden Box Packing








COMPANY PROFILE



DESSION is a modern packaging equipment solution provider integrating R&D, production and sales. Since the establishment of the company, with the continuous exploration, research and application of advanced technology, the company's development has begun Scale, with an innovative team of professional and technical personnel, engineers, sales and after-sales service personnel, has successfully developed a number of series of packaging machinery and related equipment, widely it is used in food, medical supplies, hotel supplies, daily necessities, hardware accessories, cultural and sports goods, toys and other products that require flexible packaging. With advanced engineering design technology and high-quality equipment system, the equipment is out The mouth has reached the Middle East, Southeast Asia, Europe, America, South Africa and other countries and regions, and has been well received by users all over the world.

DESSION EXHIBITION



DESSION CUSTOMER VISITING

