







1

Vacuum the inner box



Vacuum sucks the inner box to shape it for easy boxing

2

Vacuum suction products



Vacuum suction products, electric eye induction, accurately packed into the inner box





3

Fold and seal the outer box



Automatically fold the ear to seal
the box

4

Finished product transportation




The finished product comes out
here, the whole process is simple
but rigorous



Contact us





□□ □□

□□ □□: □ □□□ □□, □□ □ □□□ □□□□ □ □□□ □□ □□ □□ □□ □□□□ □□□□□.

□□□ □□□: □□ □□□□ □□ □□□□□□ □□ 30-40□□ □□□ □□□ □ □□ □□ □□□□ □□□□□□.

□□□ □□□: □□□□ □□, □□, □□□□ □□ □□ □□□ □□□ □ □□ □□□□ □□□ □□ □□□□ □□□□□.

□□□ □ □□□: □□ □□□ □□□□□□ □□□□ □□ □□□ □□ □□□ □□ □□□ □□□□.

□□□ □□□: □□□□ □□□□ □□ □□□ PLC □□ □□□ □□ □ □□□ □□□ □□ □ □□□□ □□□□ □□ □□ □□□ □□□□ □□□□□.



| | |
|---------------------------|--|
| Model: | DS-SNZ040 |
| carton size range: | A: L80-200 * W80-160 * H15-50mm B: L80-200 * W25-80 * H15-50mm(can be customized according to product) |
| Paper Requirements Scope: | 300 g/m2 ≤ Best for paper:350 g/m2 ≤ 450 g/m2 |
| Paper requirements: | The indentation of the paper box is not less than 0.4mm, with a pre-folding effect |
| Production capacity: | 30-40box/min |
| Total power: | 1.5 KW |
| Equipment dimensions: | About L3580*W1390*H1520mm |
| Machine weight: | About 1.5T |



Foshan Dession packaging machinery Co., Ltd. is located in Nanhai District, Foshan city, China machinery center, is a collection of research and development, manufacturing, sales and after-sales service in one of the high-tech enterprises, with self-import and export rights. DE newsletter focusing on production and research and development, all kinds of bag packaging machine, filling machine, and the research and development and manufacture of automatic packaging line



Contact us



Our Customers

EXHIBITIONS



AFTER-SALES SERVICE

1. 我们提供完善的售后服务，包括设备安装、调试、操作培训、故障排除等。
2. 我们拥有专业的售后服务团队，能够快速响应客户的需求。
3. 我们提供长期的技术支持和备件供应，确保您的设备正常运行。

(注：以上内容仅供参考，具体服务细节请咨询我们的销售人员。)



On-site installation,
commissioning and training

Specially customized
based on actual situation



High automation, simple
operation and labor saving

Life long technical
service support



Dession□□ □□□□ □□□ □□ □□□□ □□□□ □□ □□ □□□□.
□□□□ □□□□ □□□□ □□□□□□ □□ □□□□ □□□□□□.
□□□□ □□□□ □□□□ □□ □□ □□ □ □□□□ □□ □□ □ □□□ □□□□□□ □□□□□□ □□□□□□.
□□□□ □□ □ □□ □□ □□ □□□□ □□□□□□ □□□□□□.
□□□□ □□□□ □□□□ □□ □□□□ □□□□ □□□□□□□□.

Contact us



15-30 分钟, 24 小时 (DHL)

