Easy to operate high speed automatic powder filter drip coffee bag packing machine with factory price

Producer a description

Dession drip bag coffee packing machine is suitable for inner and outer bag packing of tea leaves, herbal tea, health care tea, coffee, roots and other small granule products and so on.









advantage

1. The outer bag sealing is controlled by a stepper motor, and the bag length is accurate and stable.

2. It adopts PID temperature controller to adjust the temperature more precisely.

3. Adopts PLC control system, man-machine interface, it is easy to operate.

4. All parts in direct contact with the products are made of SUS304 stainless steel, which ensures the production of reliable products and in compliance with food hygiene standards.

5. Some parts of the roller are imported, which ensures the accuracy and stability of the performance.

6. Optional devices: flatbed cutting device, date printer, easy cutting device, etc.

The Way to Brew Drip Coffee



85-95℃

Water Temperature (Higher the Water Temperature, More Bitter the Taste)



180-210 **

Water Amount (Less the Water Amount, More Flavor the Taste)



STEP.1



STEP.2



STEP.3



STEP.4

Tear Along the Dotted Line below the Arrow Hang the Two Ear on the Rim of the Cup Add Small Amount Hot Water, after 20s then Add Hot Water upto 210ML

Remove the Filter Bag and then Enjoy It



Device pictures:




high capacity hopper

Pour the material into the hopper.




screw gauge

Automatically measure the coffee powder and fill it.



Bag forming and device making

The film is automatically retracted and closed, and the bag is formed.




Ultrasound bag cutting machine

Automatically cut the bag and get the drip bag.



Outer bag date coding machine

Automatically print the production date on the outer bag.



External Bag Making Device

Automatically seal and cut the bag for a perfect finished product.



DRIP BAG COFFEE FILLING SEALING MACHINE	
Filling range	5~10 g (According to the nature of the product)
Bag size	L:70~74 mm, W: 90 mm
Packing speed	20~35 bag/min
Voltage	220V
Machine Power	3.7KW
Machine Size	1720*900*2270 mm
Machine Weight	660KG

Our positives:

Dession has a professional team to provide customers with various packaging solutions.

Fully understanding customer needs, engineers design the most appropriate solution.

We have our own processing and assembly workshop, quality inspection and debugging process to ensure the quality of the machine.

After being accepted by the customer, it is packaged in international standard wooden cases and shipped.

If customers have any questions while using the machine, we will answer them in time.



Collect Customer Needs



Designing Solution



Parts Processing




Machine Assembly



Machine Commissioning



Wooden Box Packing



View Certificate

Dession strictly implements the international quality management system, measurement and testing system, standardized production system, the leading products through the European Union CE, ROHS, SGS certification and other marks, owns more than 20 approved intellectual property rights and obtained ISO 9001 certification every year.

CERTIFICATION AUTHORITY

Dession



Packing and Shipping













DESSION is a modern packaging equipment solution provider integrating R&D, production and sales. Since the establishment of the company, with the continuous exploration, research and application of advanced technology, the company's development has begun Solle, with an innovative team of professional and technical personnel, engineers, sales and after acties service personnel. As successful, developd an number of tarefes of packaging machinery and related equipment, workly It is used in food, modical supples, hotel supples, daily packaging, With advanced engineering design technology and high-quality equipment system, the equipment is out. The mouth has reached the Molde East, Southeas Als, Europe, America, South Africa and other countries and regions, and has been well received by users all over the word.

