

plastic powdered milk pouch packing machine price



Horizontal screw

Suitable for powder

which mobility is good



Vertical Screw

Suitable for powder

which mobility is

not good



Packing Machine Technical Specification:

1. English and Chinese screen display , operation is simple .
2. PLC computer system,adjustment any parameters not need stop machine.
3. It can stock ten dispose,simple to change variety.
4. Sever motor drawing film,position accurately.
5. Temperature independent control system ,precision get to $\pm 1^{\circ}\text{C}$.
6. Vertical temperature control,suitable for various of mix film,PE film packing material.

7. Packing type diversification, pillow sealing, standing type, punching etc.
8. Bag-making , sealing, packing, print date in one operation.
9. Work circumstance quiet, low noise.


Packing machine details:

super touching screen,
 customized 50L/70L storage hopper,
 screw measuring equipment



Big Touchable Screen

50L/70L Selected Storage Hopper



Vertical Screw for non-flow powder

Application

This type of packing machine is suitable for all kinds of powder/powdered materials, such as flour, milk powder, Coffee powder, soy bean powder, soy milk powder, etc.

Packaging material

It can be PE/polyethylene, PE/aluminum plating, pet/PE, pp, and other heat sealing packaging materials, etc.



Packaging And Shipping:

Firstly Wrap Modules With Plastic Film ,Then Packing Modules into Plywood Cases(Fumigation free).



Upon receipt of payment,delivery date will be in 10-35days,
By Train, by Sea or by Express (DHL,Fedex etc)
Shipment cost will depend on the destination, shipment way and the weight of the goods.



FedEx®
Express

EMS®



中外运敦豪

