

CLICKIT E VEJA 

Máquina automática de embalagem de detergente em pó 500 g 1 kg em bolsas

Aplicativo



Principais características

- Para desempenho estável: controlador de inversores duplos, sistema PLC atualizável, diagnóstico de falha automática, codificador duplo.

- Para operação fácil: monitor com tela sensível ao toque, controlador PID de temperatura independente,
- Para adaptabilidade: Um conjunto de máquina pode ser aplicado a diferentes tipos de produtos por meio de dispositivos opcionais, como dispositivo de enchimento de ar, linha de alimentação, etc.

Especificação técnica

ITEM	DS-320A+
Measuring Method	Cup measuring
Measuring Volume	100 -1000g
Film Width	Max. 420mm
Bag Length	40-300mm
Bag Width	50-200mm
Film Thickness	0.06-0.10mm
Film Roll Diameter	Max.300mm
Power	220V, 50/60HZ, 1.2KVA
Machine Size	L)1170* W)950* H)1740mm
Optional Device	Date Coder / Air-filling Device / Punching Device
Machine Packing	Wooden Box

德迅 **Dession**®




Imagens detalhadas











Roll of film for bags



Cup metering



Bag former



Bag sealing and touch screen


Pacote





Nosso time





Máquina automática de embalagem de detergente em pó 500 g 1 kg em bolsas