



德迅 *Dession*®









1

Conveyor belt



The size and size of the conveyor belt can be customized according to the product, and can also be adjusted

2

Suction box device



Vacuum suction box, the suction box is firm, not easy to drop, automatic box opening





3

Product push



After the box is opened, the booster will push the product into the box

4

Automatic box sealing



Automatic ear folding, box sealing, hot-melt machine can be installed for sealing with glue



Contact us

□□□□□□□□□□

DESSSION CE, ROHS SGS

DESSSION

Model:	DS-B050
carton size range:	A:L80-200 * W80-160 * H15-50mm B:L80-200 * W25-80 * H15-50mm (can be customized according to product)
Paper Requirements Scope:	300 g/m2 ≤ Bestfor paper:350 g/m2 ≤ 450 g/m2
Paper requirements:	The indentation of the paper box is not less than 0.4mm, with a pre folding effect
Production capacity:	40-50 box/min
Total power:	1.5 KW
Equipment dimensions:	About L4380 * W1500 * H1530mm
Machine weight:	About 1.2T



Foshan Desession packaging machinery Co., Ltd. is located in Nanhai District, Foshan city, China machinery center, is a collection of research and development, manufacturing, sales and after-sales service in one of the high-tech enterprises, with self-import and export rights. DE newsletter focusing on production and research and development, all kinds of bag packaging machine, filling machine, and the research and development and manufacture of automatic packaging line





Contact us 



Our Customers

EXHIBITIONS



AFTER-SALES SERVICE

1. 德迅包装机械有限公司 是一家专业从事包装机械研发、生产、销售、服务于一体的企业。公司拥有一流的技术团队和先进的生产设备，为客户提供高品质的包装机械产品和完善的售后服务。
2. 德迅包装机械有限公司 的产品广泛应用于食品、医药、化工、电子等行业。我们的产品具有结构紧凑、操作简便、维护方便等特点，深受客户的信赖和好评。
3. 德迅包装机械有限公司 拥有完善的质量管理体系和售后服务体系。我们承诺为客户提供及时、专业的技术支持和维修服务，确保客户的生产顺利进行。

(德迅包装机械有限公司 是一家专业从事包装机械研发、生产、销售、服务于一体的企业。公司拥有一流的技术团队和先进的生产设备，为客户提供高品质的包装机械产品和完善的售后服务。德迅包装机械有限公司 的产品广泛应用于食品、医药、化工、电子等行业。我们的产品具有结构紧凑、操作简便、维护方便等特点，深受客户的信赖和好评。德迅包装机械有限公司 拥有完善的质量管理体系和售后服务体系。我们承诺为客户提供及时、专业的技术支持和维修服务，确保客户的生产顺利进行。)



15-30 DHL

